## **VAS 2021 - LIST OF E-POSTERS**

affected by arteriovenous fistula function  3. Surpical receive for snuffbox fistula as a first-line approach to hemo  4. Systematic review for snuffbox fistula as a first-line approach to hemo  7. Surgical implantation of a cuffed tunnelled dishysis catheter for chronic  7. Surgical implantation of a cuffed tunnelled dishysis catheter for chronic  12. The outcome of arterio-venous fistula procedures under local  anesthesia, Single Centre retrospective study  19. Impending massive bleeding from a ruptured aneurysm of AV Graft:  urgent bedside percutaneous hemostasis by thrombia injection  3. Banding of arteriorevinos fistula under output injection  3. Banding of arteriorevinos fistula under output injection  3. Banding of arteriorevinos fistula under output injection  3. Repair of extense hemodialysis fistula aneurysms using a two Stages  by pleating and the reduction technique.  14. GRORD DIFFERENCES AND OTHER FACTORS ASSOCIATED WITH  14. GRORD DIFFERENCES AND OTHER FACTORS ASSOCIATED WITH  15. DIAMITER O FB LODO VESSELS IN UPPER LIMBS  16. Limping et ultrasound assessment of calcified radial arteries prior to AV  17. Supple ultrasound assessment of calcified radial arteries prior to AV  18. Diamiter of COVID-19 on the vascular access practice of hemodialysis  19. Impact of COVID-19 on the vascular access practice of hemodialysis  19. Pandemic – experience from a single Uck centre  19. Single centre comparative analysis of dialysis access strombosis  19. Pandemic – experience from a single Uck centre  29. Alvalar access services for renal Patients during the COVID-  50. Avalualiary prosthetic vascular accesses or precipitation of the list and provided the control of the provided the provided the control of t	22 29 2. Cardiov 6 21 44 58 3. Surgica 4 7	Percutaneous arteriovenous fistula creation with the WavelinQ device. A retrospective single-center analysis of 30 patients Double guide wire technique (DGT): optimization of iuxta-anastomotic stenosis endovascular treatment Controlateral endovascular recanalization of the left brachio-cephalic vein in patient with upper arm arteriovenous fistula for hemodialysis  // Ascular effects of hemodialysis access Vascular access type and mortality in octogenarian incident hemodialysis patients: a retrospective study Symptomatic high-output heart failure due to high-flow forearm arteriovenous fistula treated by proximal radial artery ligation.  Brachial artery blood flow and diameter before and after forearm and	1.2. Endovascular repair of access malfunction     1.2. Endovascular repair of access malfunction  2.1. Without specification	Case report  Case report	Nicola	Pirozzi	Greece
A retrospective single-center analysis of 30 patients 2 Double guide wire technique (DFT) sprimination of attar-anastomotic 2 Domotroscular repair of access tensoss endosacular treatment 2 Controlates andosacular retrainment 2 Controlates andosacular retrainment 2 Controlates andosacular retrainment 3 Domotroscular retrainment 3 Domotroscular retrainment 4 Domotroscular retrainment 3 Domotroscular retrainment 4 Domotroscular access tope and mortality in octoperativin incident 4 Domotroscular policy output heart failure due to high-flow forearm anterioremous fistular tende by promishing and larer ligitation. 4 Brachial arrey blood flow and diameter before and after forearm and anterioremous fistular tende by promishing and larer ligitation. 4 Brachial arrey blood flow and diameter before and after forearm and supperarm ATV creation. 4 Brachial arrey blood flow and diameter before and after forearm and supperarm ATV creation. 5 Bit the severity of lung congestion in indeep transplant recipients is not affected by arterioremous fistular tende by promishing and larery ligitation. 5 Bit the severity of lung congestion in indeep transplant recipients is not affected by arterioremous fistular function. 5 Bit the severity of lung congestion in indeep transplant recipients is not affected by arterioremous fistular function. 5 Bit the severity of lung congestion in indeep transplant recipients is not affected by arterioremous fistular procedures under local 7 Assignation implication of a surfect tunneled dialysis cathest for chonnel 8 Bit the severity of lung congestion in the inferior vena Cava in emergency situation. 12 The outcome of afterior-enous fistular procedures under local 13 Il without specification Conginal study Human Inhal  14 Gottober Statistics and the confidence of the condition of the c	22 29 2. Cardiov 6 21 44 58 3. Surgica 4 7	A retrospective single-center analysis of 30 patients  Double guide wire technique (DGT): optimization of iuxta-anastomotic stenosis endovascular treatment  Controlateral endovascular recanalization of the left brachio-cephalic vein in patient with upper arm arteriovenous fistula for hemodialysis  vascular effects of hemodialysis access  Vascular access type and mortality in octogenarian incident hemodialysis patients: a retrospective study  Symptomatic high-output heart failure due to high-flow forearm arteriovenous fistula treated by proximal radial artery ligation.  Brachial artery blood flow and diameter before and after forearm and	1.2. Endovascular repair of access malfunction     1.2. Endovascular repair of access malfunction  2.1. Without specification	Case report  Case report	Nicola	Pirozzi	Italy
tenosis endosacular treatment  3	29  2. Cardiov 6  21  44  58  3. Surgica 4  7	stenosis endovascular treatment  Controlateral endovascular recanalization of the left brachio-cephalic vein in patient with upper arm arteriovenous fistula for hemodialysis  /ascular effects of hemodialysis access  Vascular access type and mortality in octogenarian incident hemodialysis patients: a retrospective study  Symptomatic high-output heart failure due to high-flow forearm arteriovenous fistula treated by proximal radial artery ligation.  Brachial artery blood flow and diameter before and after forearm and	malfunction 1.2. Endovascular repair of access malfunction 2.1. Without specification	Case report			•
Controlateral endovascular recanalization of the left brachic cephalic view in pastent with upper am arteriowenous fistula for hemodialysis malfunction	2. Cardiov 6 21 44 58 3. Surgica 4 7	Controlateral endovascular recanalization of the left brachio-cephalic vein in patient with upper arm arteriovenous fistula for hemodialysis  /ascular effects of hemodialysis access  Vascular access type and mortality in octogenarian incident hemodialysis patients: a retrospective study  Symptomatic high-output heart failure due to high-flow forearm arteriovenous fistula treated by proximal radial artery ligation.  Brachial artery blood flow and diameter before and after forearm and	1.2. Endovascular repair of access malfunction 2.1. Without specification	·	Alessia	Pini	ta a la c
Cardiovascular effects of hemodishyla access	6 21 44 58 3. Surgica 4 7	Vascular effects of hemodialysis access Vascular access type and mortality in octogenarian incident hemodialysis patients: a retrospective study Symptomatic high-output heart failure due to high-flow forearm arteriovenous fistula treated by proximal radial artery ligation. Brachial artery blood flow and diameter before and after forearm and	2.1. Without specification	Original study		1	Italy
6   Vascular access type and mortality in crosgentaria incident   2.1. Without specification   Original study   Marisa   80.DAO	6 21 44 58 3. Surgica 4 7	Vascular access type and mortality in octogenarian incident hemodialysis patients: a retrospective study Symptomatic high-output heart failure due to high-flow forearm arteriovenous fistula treated by proximal radial artery ligation.  Brachial artery blood flow and diameter before and after forearm and	·	Original study			
hemodialysis patients: a retrospective study   21. Without specification   Case report   Nicola   Piozzi   arteriovenous fistula treated by proximal radial artery ligation.   44   Brachial artery blood flow and diametre before and after foreram and   2.1. Without specification   Original study   Itafael   Ponikvar	21 44 58 3. Surgica 4 7	hemodialysis patients: a retrospective study  Symptomatic high-output heart failure due to high-flow forearm arteriovenous fistula treated by proximal radial artery ligation.  Brachial artery blood flow and diameter before and after forearm and	·	Original study	N. de uiere	DOLDÃO.	Dantural
arteriovenous fixtula treated by proximal radial artery ligation.  44 Brachal artery blood flow and diameter before and after forearm and 2.1. Without specification original study program AVF creation.  58 The severity of lung congestion in kidney transplant recipients is not affected by arteriovenous fistula function  58. Without specification original study in the severity of lung congestion in kidney transplant recipients is not affected by arteriovenous fistula as a first-line approach to haemod 3.1. Without specification original study original study in the severity of the sever	44 58 3. Surgica 4 7	arteriovenous fistula treated by proximal radial artery ligation.  Brachial artery blood flow and diameter before and after forearm and	2.1. Without specification		Iviarisa	ROLDAU	Portugal
Brachial artery blood flow and diameter before and after forearm and   2.1. Without specification   Original study   Rafael   Ponikvar upper mWF creation   Severity of fung congestion in kidney transplant recipients is not   2.1. Without specification   Original study   Krzysztof   Letachow affected by arteriovenous fistula function   Severation   Severation   Original study   Krzysztof   Letachow affected by arteriovenous fistula function   Severation   Original study   Mohammed   Al-Zubaid   Al-Zubaid   Al-Zubaid   Severation   Original study   Mohammed   Al-Zubaid   Severation   Severation   Original study   Mohammed   Al-Zubaid   Al-Zubaid   Severation   Severation   Original study   Mohammed   Al-Zubaid   Al-Zubaid   Al-Zubaid   Severation   Andrey   Yankovo haemodialysis in the Inferior Vena Cava in emergency situation.   3.1. Without specification   Case report   Andrey   Yankovo haemodialysis in the Inferior Vena Cava in emergency situation.   3.1. Without specification   Original study   Human   Irshad   anesthesis: Single Centre retrospective study   Andrew   Al-Zubaid	58 3. Surgica 4 7	Brachial artery blood flow and diameter before and after forearm and		Case report	Nicola	Pirozzi	Italy
The severity of lung congestion in kidney transplant recipients is not affected by arteriorwons istual function  3. Surpical techniques  4. Systematic review for snuffbox fistual as a first-line approach to haemod 3.1. Without specification  7. Surpical implantation of a cuffed tunnelled dialysis catheter for chronic  8. In the outcome of arterior vena cava in emergency situation.  8. In the outcome of arterior vena cava in emergency situation.  9. Surpical implantation of a cuffed tunnelled dialysis catheter for chronic  9. Surpical implantation of a cuffed tunnelled dialysis catheter for chronic  10. Surpical implantation of a cuffed tunnelled dialysis catheter for chronic  11. The outcome of arterio-venous fistual procedures under local  12. The outcome of arterio-venous fistual procedures under local  13. In without specification  14. Surpical period period period and procedures and proced	3. Surgica 4 7	unnerarm AVE creation	2.1. Without specification	Original study	Rafael	Ponikvar	Slovenia
S. Surgical Techniques   Mohammed   Al-Zubaid	7	The severity of lung congestion in kidney transplant recipients is not	2.1. Without specification	Original study	Krzysztof	Letachowicz	Poland
4 Systematic review for smuffloor fistula as a first-line approach to haemod 3.1. Without specification 7 Surgical implantation of a cuffed tunnelled displus cathetre for chronic 3.1. Without specification haemodialysis in the Inferior Vena Cava in emergency situation.  12 The outcome of arterio-venous fistula procedures under local anesthesis. Single Control ere trospective surdy  19 Impending massive bleeding from a ruptured aneurysm of AV Graft: anesthesis. Single Control ere trospective surdy  10 Impending massive bleeding from a ruptured aneurysm of AV Graft: organized bedside percutaneous hemotiasis by thromation injection organized bedside percutaneous hemotiasis by thromation injection organized by the read of the readment of hemotiasis access-induced distal scheme of the readment of hemotiasis access-induced distal scheme organized by the readment of hemotiasis access-induced distal scheme organized by the readment of hemotiasis access-induced distal scheme organized by the readment of hemotiasis access-induced distal scheme organized by the readment of hemotiasis access-induced distal scheme organized by the readment of hemotiasis access-induced distal scheme organized by the readment of hemotiasis access-induced distal scheme organized by the readment of hemotiasis access-induced distal scheme organized by the readment of hemotiasis access-induced distal scheme organized by the readment of hemotiasis access-induced distal scheme organized by the readment of hemotiasis access-induced distal scheme organized by the readment of hemotiasis access induced distal access access organized by the readment of hemotiasis access induced distal access access organized by the readment of hemotiasis access organized by the readment of hemotiasis access organized by the readment of hemotiasis access and covided and access practice of hemodiasis in a hemotiasis organized by the readment of hemotiasis of hemotiasis organized by the patients of hemotiasis of hemotiasis organized by the patients of hemotiasis organized	7						
haemodialysis in the Inferior Vena Cava in emergency situation.  12 The outcome of atterio-venous fistula procedures under local anesthesia; Single Centre retrospective study 19 Impending massive bleeding from a ruptured aneurysm of AV Graft: 19 Impending massive bleeding from a ruptured aneurysm of AV Graft: 19 Impending massive bleeding from a ruptured aneurysm of AV Graft: 10 Graft process of the process			3.1. Without specification	Original study	Mohammed	Al-Zubaidi	Australia
anesthesis, Single Centre retrospective study  Impending massive bleeding from a ruptured aneurysm of AV Graft: urgent beside percutaneous hemostasis by thrombin injection  36 Banding of arteriovenous fistula under duplex ultrasound guidance is al.1. Without specification effective for the treatment of hemodialysis access-induced distal ischemia  51. Repiar of extense hemodialysis fistula aneurysms using a two Stages plication and flow reduction technique.  51. Repiar of extense hemodialysis fistula aneurysms using a two Stages plication and flow reduction technique.  51. Mapine techniques  14. GENDER DIFFERENCES AND OTHER FACTORS ASSOCIATED WITH OLAMETER OF BLOOD VESSELS IN UPPER LIMBS  41. Doppler ultrasound assessment of calcified radial arteries prior to AV fistula construction  51. Vascular access and GOVID19  9 Impact of COVID-19 on the vascular access practice of hemodialysis patients in Tianjin, northern China  39 Optimising dialysis Access services for renal Patients during the COVID-  49 Single centre comparative analysis of dialysis access thrombosis management at the peak of COVID-19 pandemic  50 Axyl-axillary prosthetic vascular access Cover sperience in the last 30 S.1. Without specification  60 Original study  61. Without specification  62 Axyl-axillary prosthetic vascular access: Our experience in the last 30 S.1. Without specification  63 Axyl-axillary prosthetic vascular access: Our experience in the last 30 S.1. Without specification  64 Axyl-axillary prosthetic vascular access: Cover experience in the last 30 S.1. Without specification  65 Axyl-axillary prosthetic vascular access: Cover experience in the last 30 S.1. Without specification  66 Prevalence of central catheters in a hemodialysis in a patient in the prone position S.1. Without specification  67 Case report  78 Alteplase versus urokinase in restoring blood-flow in haemodialysis - 7.1. Without specification  79 Case report  70 Application  71 Application  71 Application  72 Application  73 Pre-operative arm warming improving long t		T	3.1. Without specification	Case report	Andrey	Yankovoy	Russian Federation
19	12	•	3.1. Without specification	Original study	Huma	Irshad	United Kingdom
Sanding of arteriovenous fistula under duplex ultrasound guidance is effective for the treatment of hemodialysis access-induced distal ischemia	19	Impending massive bleeding from a ruptured aneurysm of AV Graft:	3.1. Without specification	Case report	Nicola	Pirozzi	Italy
effective for the treatment of hemodialysis access-induced distal ischemia  51 Repair of extense hemodialysis fistula aneurysms using a two Stages plication and flow reduction technique.  61 Repair of extense hemodialysis fistula aneurysms using a two Stages plication and flow reduction technique.  62 Lamaging sechniques  63 Lamaging sechniques  64 Repair of extense hemodialysis fistula aneurysms using a two Stages plication and flow reduction technique.  65 Lamaging sechniques  66 Prevalence of central catheters in a hemodialysis in a patient in the prone position by anatomic reference, a case report  75. Watcular access services for renal Patients of the last 30 S.1. Without specification  67. Without specification  68. Without specification  69. Without specification  60. Prevalence for the readment of calcified radial arteries prior to AV flistula construction  69. Subscular access services for renal Patients during the COVID-5. S.1. Without specification  60. Prevalence for ma single UK centre  60. Catheter place centre comparative analysis of dialysis access thrombosis management at the peak of COVID-19 pandemic  60. Catheter placement for hemodialysis in a patient in the prone position by anatomic reference, a case report  61. Without specification  62. Alteplase versus urokinase in restoring blood-flow in haemodialysis catheter thrombosis  63. Maturation  64. Prevalence of central catheters in a hemodialysis unit: the eternal achilles tendon?  75. Mithout specification  76. Prevalence of central catheters in a hemodialysis unit: the eternal paradigm or preparative analysis of the paradigm of the	36		3.1. Without specification	Original study	Raffaella	Mauro	Italy
plication and flow reduction technique.  4. Imaging techniques  1.4 GROBE DIFFERNCES AND OTHER FACTORS ASSOCIATED WITH DIAMETRA OF BLOOD VESSELS IN UPPER LIMBS  4.1 Depper ultrasound assessment of calcified radial arteries prior to AV fistula construction  5. Vascular access and GOVID19  9 Impact of COVID-19 on the vascular access practice of hemodialysis patients in Tianjin, northern China  9 Optimising dialysis Access services for renal Patients during the COVID-19 Pandemic experience from a single UK centre  49 Single centre comparative analysis of dialysis access thrombosis management at the peak of COVID-19 pandemic management at the peak of COVID-19 pandemic pears  5.1 Without specification Original study Christopher Seet Management at the peak of COVID-19 pandemic pears  60 Catheter placement for hemodialysis in a patient in the prone position by anatomic reference, a case report  7. Catheter  5.2 Alteplase versus urokinase in restoring blood-flow in haemodialysis - catheter thrombosis  66 Prevalence of central catheters in a hemodialysis unit: the eternal achilles tendon?  8.1. Without specification Original study Sandra Rubio Paachilles tendon?  8.2. Alteplase versus urokinase in restoring blood-flow in haemodialysis - catheter thrombosis  66 Prevalence of central catheters in a hemodialysis unit: the eternal achilles tendon?  8.3. Maturation Original study John Fallon  9. Intermittent Focal Vein Compression (IFVC): A Novel Concept For All Aspects of AV Fistula Care  64 Handardip Tarinia Queve and arteriovenous fistula maturation in eldedry patients  65 Fistula maturation prediction with artificial intelligence: change of Aspects of AV Fistula Care  66 Prevalence of central catheter provides a significant risk for high flow arteriovenous access		effective for the treatment of hemodialysis access-induced distal ischemia	·				,
14   GENDER DIFFRERNCES AND OTHER FACTORS ASSOCIATED WITH   4.1. Without specification   Original study   Manuela   Moreno-DIAMETER OF BLOOD VESSELS IN UPPER LIMBS		plication and flow reduction technique.	3.1. Without specification	Original study	Israel	Leblic	Spain
41   Doppler ultrasound assessment of calcified radial arteries prior to AV   4.1. Without specification   Original study   Jakob   Gubense			4.1. Without specification	Original study	Manuela	Moreno-Ramire	Spain
fistula construction  5. Vascular access and COVID19  9 Impact of COVID19 on the vascular access practice of hemodialysis patients in Tianjin, northern China  39 Optimising dialysis Access services for renal Patients during the COVID- 5.1. Without specification Review presentatio Jyoti Baharani 19 Pandemic — experience from a single UK centre  49 Single centre comparative analysis of dialysis access thrombosis management at the peak of COVID-19 pandemic  56 Axyl-axillary prosthetic vascular accesses: Our experience in the last 30 5.1. Without specification Original study Vicent Esteve Si years  60 Catheter placement for hemodialysis in a patient in the prone position by anatomic reference, a case report  7. Catheter  52 Alteplase versus urokinase in restoring blood-flow in haemodialysis - 7.1. Without specification Case report Tamasin Stevensc catheter thrombosis catheter thrombosis of Prevalence of central catheters in a hemodialysis unit: the eternal archilles tendon?  8. Maturation  4 Pre-operative arm warming improving long term fistula patency Alteriate and paradigm Prevalence of Case report Tamasin Stevensc Case via Vivilence of Case via Vivilence or V	41		4.1 Without specification	Original study	lakoh	Guhensek	Slovenia
9   Impact of COVID-19 on the vascular access practice of hemodialysis patients in Tianjin, northern China   39   Optimising dialysis Access services for renal Patients during the COVID-   5.1. Without specification   Review presentatio   Jyoti   Baharani   19 Pandemic – experience from a single UK centre   49   Single centre comparative analysis of dialysis access thrombosis management at the peak of COVID-19 pandemic   5.1. Without specification   Original study   Christopher   Seet   Axyl-axillary prosthetic vascular accesses: Our experience in the last 30   5.1. Without specification   Original study   Vicent   Esteve Si   Vicent   Vicen		fistula construction	min without specimenton	Original Study	Jakob	Gubensek	Sioverna
39 Optimising dialysis Access services for renal Patients during the COVID- 19 Pandemic — experience from a single UK centre 49 Single centre comparative analysis of dialysis access thrombosis management at the peak of COVID-19 pandemic 56 Axyl-axillary prosthetic vascular accesses: Our experience in the last 30 5.1. Without specification Original study Vicent Esteve Si years 60 Catheter placement for hemodialysis in a patient in the prone position by anatomic reference, a case report 7. Catheter 52 Alteplase versus urokinase in restoring blood-flow in haemodialysis - catheter thrombosis 66 Prevalence of central catheters in a hemodialysis unit: the eternal achilles tendon? 8. Maturation 24 Pre-operative arm warming improving long term fistula patency 8. M. Without specification Original study John Fallon 28 Von Willebrand Factor is a key player in arteriovenous fistula maturation Fistula maturation prediction with artificial intelligence: change of paradigm 55 Intermittent Focal Vein Compression (IFVC): A Novel Concept For All Aspects of AV Fistula Care 66 Handgrip training device and arteriovenous fistula maturation in elderly patients 67 Intermittent Focal Vein Compression (IFVC): A Novel Concept For All Aspects of AV Fistula Care 68 Fistulas with anastomosis on brachial artery pose a significant risk for high flow arteriovenous is on brachial artery pose a significant risk for high flow arteriovenous is on brachial artery pose a significant risk for high flow arteriovenous is coess.	_	Impact of COVID-19 on the vascular access practice of hemodialysis	5.1. Without specification	Original study	Lihua	Wang	China
Single centre comparative analysis of dialysis access thrombosis management at the peak of COVID-19 pandemic	39		5.1. Without specification	Review presentatio	Jyoti	Baharani	United Kingdom
56 Axyl-axillary prosthetic vascular accesses: Our experience in the last 30 years  60 Catheter placement for hemodialysis in a patient in the prone position by anatomic reference, a case report  7. Catheter  52 Alteplase versus urokinase in restoring blood-flow in haemodialysis - catheter thrombosis  66 Prevalence of central catheters in a hemodialysis unit: the eternal achilles tendon?  7.1. Without specification  Case report  Tamasin  Stevensc Alteplase versus urokinase in restoring blood-flow in haemodialysis - catheter thrombosis  66 Prevalence of central catheters in a hemodialysis unit: the eternal achilles tendon?  8. Maturation  24 Pre-operative arm warming improving long term fistula patency  8.1. Without specification  Original study  John  Fallon  28 Von Willebrand Factor is a key player in arteriovenous fistula  8.1. Without specification  Original study  Nuria  Monill-Ri  55 Intermittent Focal Vein Compression (iFVC): A Novel Concept For All Aspects of AV Fistula Care  64 Handgrip training device and arteriovenous fistula maturation in elderly patients  69 Fistulas with anastomosis on brachial artery pose a significant risk for high flow arteriovenous access	49	Single centre comparative analysis of dialysis access thrombosis	5.1. Without specification	Original study	Christopher	Seet	United Kingdom
60 Catheter placement for hemodialysis in a patient in the prone position by anatomic reference, a case report  7. Catheter  52 Alteplase versus urokinase in restoring blood-flow in haemodialysis - catheter thrombosis  66 Prevalence of central catheters in a hemodialysis unit: the eternal achilles tendon?  8. Maturation  28 Pre-operative arm warming improving long term fistula patency  8. Maturation  30 Pistula maturation prediction with artificial intelligence: change of paradigm  51 Intermittent Focal Vein Compression (IFVC): A Novel Concept For All Aspects of AV Fistula Care  64 Handgrip training device and arteriovenous fistula maturation in elderly patients  65 Fistulas with anastomosis on brachial artery pose a significant risk for high flow arteriovenous access	56		5.1. Without specification	Original study	Vicent	Esteve Simo	Spain
7.1. Without specification Case report Tamasin Stevensor catheter thrombosis 66 Prevalence of central catheters in a hemodialysis unit: the eternal achilles tendon?  8. Maturation 24 Pre-operative arm warming improving long term fistula patency 8.1. Without specification Original study John Fallon 28 Von Willebrand Factor is a key player in arteriovenous fistula 8.1. Without specification Original study Suzanne Laboyrie maturation  7. Without specification Original study John Fallon 8. Without specification Original study Suzanne Laboyrie maturation  7. Without specification Original study Iohn Fallon 8. Without specification Original study Suzanne Laboyrie maturation  8. Without specification Original study Núria Monill-Right Monill-Ri	60		5.1. Without specification	Case report	Nestor	Gomez Maldon	Mexico
catheter thrombosis  66 Prevalence of central catheters in a hemodialysis unit: the eternal achilles tendon?  8. Maturation  24 Pre-operative arm warming improving long term fistula patency  28 Von Willebrand Factor is a key player in arteriovenous fistula maturation  32 Fistula maturation Paradigm  55 Intermittent Focal Vein Compression (IFVC): A Novel Concept For All Aspects of AV Fistula Care  64 Handgrip training device and arteriovenous fistula maturation in elderly patients  65 Fistulas with anastomosis on brachial artery pose a significant risk for high flow arteriovenous access	7. Cathete						
achilles tendon?  8. Maturation  24 Pre-operative arm warming improving long term fistula patency 25 Von Willebrand Factor is a key player in arteriovenous fistula maturation  26 Single Pistula maturation prediction with artificial intelligence: change of paradigm  57 Intermittent Focal Vein Compression (iFVC): A Novel Concept For All Aspects of AV Fistula Care  68 Handgrip training device and arteriovenous fistula maturation in elderly patients  69 Fistulas with anastomosis on brachial artery pose a significant risk for high flow arteriovenous access	52		7.1. Without specification	Case report	Tamasin	Stevenson	United Kingdom
24       Pre-operative arm warming improving long term fistula patency       8.1. Without specification       Original study       John       Fallon         28       Von Willebrand Factor is a key player in arteriovenous fistula maturation       8.1. Without specification       Original study       Suzanne       Laboyrie         32       Fistula maturation prediction with artificial intelligence: change of paradigm       8.1. Without specification       Original study       Núria       Monill-Ri         55       Intermittent Focal Vein Compression (iFVC): A Novel Concept For All Aspects of AV Fistula Care       8.1. Without specification       Review presentatio       Tej       Singh         64       Handgrip training device and arteriovenous fistula maturation in elderly patients       8.1. Without specification       Original study       Irati       Tapia Go         69       Fistulas with anastomosis on brachial artery pose a significant risk for high flow arteriovenous access       8.1. Without specification       Original study       Blaž       Slonjšak	66		7.1. Without specification	Original study	Sandra	Rubio Paez	Spain
28				1			
maturation  32 Fistula maturation prediction with artificial intelligence: change of paradigm  55 Intermittent Focal Vein Compression (iFVC): A Novel Concept For All Aspects of AV Fistula Care  64 Handgrip training device and arteriovenous fistula maturation in elderly patients  69 Fistulas with anastomosis on brachial artery pose a significant risk for high flow arteriovenous access							United Kingdom Netherlands
paradigm  55 Intermittent Focal Vein Compression (iFVC): A Novel Concept For All Aspects of AV Fistula Care  64 Handgrip training device and arteriovenous fistula maturation in elderly patients  69 Fistulas with anastomosis on brachial artery pose a significant risk for high flow arteriovenous access		maturation					
Aspects of AV Fistula Care  64 Handgrip training device and arteriovenous fistula maturation in elderly patients 65 Fistulas with anastomosis on brachial artery pose a significant risk for high flow arteriovenous access  68 N.1. Without specification  69 Original study  69 Blaž  60 Slonjšak		paradigm	·	, ·		Monill-Raya	Spain
64 Handgrip training device and arteriovenous fistula maturation in elderly patients  69 Fistulas with anastomosis on brachial artery pose a significant risk for high flow arteriovenous access  8.1. Without specification  Original study  Blaž  Slonjšak	55	· · · · · · · · · · · · · · · · · · ·	8.1. Without specification	Review presentatio	Tej	Singh	United States
69 Fistulas with anastomosis on brachial artery pose a significant risk for high flow arteriovenous access Blaž Slonjšak	64		8.1. Without specification	Original study	Irati	Tapia González	Spain
	69	Fistulas with anastomosis on brachial artery pose a significant risk for	8.1. Without specification	Original study	Blaž	Slonjšak	Slovenia
9. Monitoring and Surveillance		ring and Surveillance					
40Outcomes of radiocephalic arteriovenous fistula in octogenarians9.1. Without specificationOriginal studyRaffaellaMauro48Pulse wave analysis to assess fistula function9.1. Without specificationOriginal studyVeitBusch							Italy
10. "Others"		rs"	3.1. WILHOUT SPECIFICATION		veit	DUSCII	Germany
18 OPTIMAPreP: OPtimising TIMing of Access creation in Pre-dialysis Patients: Is there a role of the kidney failure risk equation (KFRE)?	18	I	10.1. Without specification	Original study	Nicholas	Inston	United Kingdom
27 Influence of peritoneal dialysis catheter type on drainage failure and chronic laxative use: a patients' perspective study  10.1. Without specification Original study Gianmarco Sabiu	27	Influence of peritoneal dialysis catheter type on drainage failure and	10.1. Without specification	Original study	Gianmarco	Sabiu	Italy
	34	Regional anaesthesia before discard distal or native arterio-venous	10.1. Without specification	Original study	David	Carro Herrero	Spain
38 Association of tissue Ki-67 proliferative index with pathological changes and survival time predicts hemodialysis arteriovenous fistulae changes and survival time predicts hemodialysis arteriovenous fistulae		Association of tissue Ki-67 proliferative index with pathological changes and survival time predicts hemodialysis arteriovenous fistulae	10.1. Without specification	Original study	Raffaella	Mauro	Italy
survival: preliminary single-center results  46 Atypical presentation of dialysis access steal syndrome 10.1. Without specification Case report Rui Filipe Nogueira	38	· · · · · · · · · · · · · · · · · · ·	10.1. Without specification	Case report	Rui Filipe	Nogueira	Portugal
62 Towards smart in situ engineered hemodialysis vascular accesses: the novel hybrid silk fibroin/polyurethane (Silkothane*) arteriovenous 10.1. Without specification Original study Stefania Adele Riboldi		Towards smart in situ engineered hemodialysis vascular accesses: the novel hybrid silk fibroin/polyurethane (Silkothane®) arteriovenous					Italy
graft  72 Five-year outcomes in patients with end-stage renal disease who received the bioengineered human acellular vessel for dialysis access  10.1. Without specification  Original study  Jeffrey  Lawson	46			Original study	Jeffrey	Lawson	United States